

CROPLIFE AUSTRALIA FUNGICIDE RESISTANCE MANAGEMENT REVIEW GROUP
Fungicide Activity Group Table (Valid as at 25 June 2015)

FRAC Code	Fungicide Mode of Action Group	Chemical Family	Active Constituent	Trade Name* (Product name)
1	<i>Methyl Benzimidazole Carbamates</i>	<i>Benzimidazole</i>	carbendazim	<i>various</i>
			thiabendazole	<i>various</i> e.g. Tecto®
		<i>Thiophanates</i>	thiophanate-methyl	<i>various</i> e.g. Banrot®
2	<i>Dicarboximide</i>	<i>Dicarboximide</i>	iprodione	<i>various</i> e.g. Rovral®
			procymidone	<i>various</i> e.g. Sumisclex®
3	<i>DMI</i>	<i>Imidazole</i>	imazalil	<i>various</i> e.g. Fungaflor®
			prochloraz	<i>various</i> e.g. Octave®
		<i>Piperazine</i>	triforine	<i>various</i> e.g. Saprol®
		<i>Pyrimidine</i>	fenarimol	Rubigan®
		<i>Triazole</i>	bitertanol	Baycor®
			cyproconazole	Alto®
			difenoconazole	<i>various</i> e.g. Score®, Dividend®
			epoxiconazole	<i>various</i> e.g. Opus®
			fenbuconazole	Indar®
			fluquinconazole	<i>various</i> e.g. Jockey®
			flusilazole	<i>various</i> e.g. Nustar®
			flutriafol	<i>various</i> e.g. Armour®
			hexaconazole	<i>various</i>
			ipconazole	Rancona®
			myclobutanil	<i>various</i> e.g. Systhane®
			penconazole	Topas®
			propiconazole	<i>various</i> e.g. Tilt®
			prothioconazole	Brumby®, Prosaro®
			tebuconazole	<i>various</i> e.g. Raxil®, Folicur®
			tetraconazole	Domark®
			triadimefon	<i>various</i> e.g. Bayleton®
			triadimenol	<i>various</i> e.g. Bayfidan®, Baytan®
			triticonazole	<i>various</i> e.g. Premis®
4	<i>Phenylamide</i>	<i>Acylalanine</i>	benalaxyl (+ mancozeb)	Galben®M
			furalaxyl	Fongarid®
			metalaxyl	<i>various</i> e.g. Ridomil®, Apron®
			metalaxyl-m	<i>various</i> e.g. Ridomil® Gold, Apron XL®
		<i>Oxazolidinone</i>	oxadixyl (+ propineb)	Rebound®

This document is a guide only and does not endorse particular products, groups of products or cultural methods in terms of their performance. Always follow the product label for specific use instructions. While all effort has been taken with the information supplied in this document no responsibility, actual or implied, is taken for the day to day accuracy of product or active constituent specific information. Readers should check with the Australian regulator's (APVMA) product database for contemporary information on products and actives. The database can be sourced through www.apvma.gov.au. The information given in this document is provided in good faith and without any liability for loss or damage suffered as a result of its application and use. Advice given in this strategy is valid as at 25 June 2015. All previous versions of this strategy are now invalid.

CropLife Australia Limited

Locked Bag 916, Canberra ACT 2601

Phone: 02 6230 6399 Email: info@croplife.org.au Fax: 02 6230 6355 Website: www.croplife.org.au

CropLife Australia Fungicide Resistance Management Review Group
Activity Group Table

FRAC Code	Fungicide Mode of Action Group	Chemical Family	Active Constituent	Trade Name (Product name)
5	Amines (Morpholines)	Spiroketalamine	spiroxamine	Prosper®
7	SDHI (Succinate dehydrogenase inhibitors)	Oxathiin carboxamides	carboxin	various e.g. Vitavax®,
			oxycarboxin	Plantvax®
		Phenyl benzamides	flutolanil	Monstar®
		Pyridine carboxamides	boscalid	Filan®
		Pyrazole carboxamide	penthiopyrad	Fontelis®
			sedaxane	Vibrance®
			penflufen	EverGol® Prime
			fluxapyroxad	Systiva®
		Pyridinyl-ethyl-benzamides	fluopyram	Luna® Privilege, Luna® Sensation
8	Hydroxy-(2-amino-) pyrimidine	Hydroxy-(2-amino-) pyrimidine	bupirimate	Nimrod®
9	Anilinopyrimidine	Anilinopyrimidine	cyprodinil	Chorus®
			pyrimethanil	various e.g. Scala®
11	Quinone outside Inhibitors (Qols)	Methoxy acrylate	azoxystrobin	various e.g. Amistar®, Dynasty®
		Oximino acetates	kresoxim-methyl	Stroby®
			trifloxystrobin	Flint®
		Methoxy carbamate	pyraclostrobin	Cabrio®
12	Phenylpyrroles	Phenylpyrroles	fludioxonil	Maxim®
13	aza-napthalenenes	Quinolines	quinoxifen	Legend®
		Quinazolinone	proquinozid	Talendo®
14	(Aromatic Hydrocarbons) (chlorophenyls, nitroanilines)	Aromatic hydrocarbons	quintozene	various e.g. Terraclor®
			tolclofos-methyl	various e.g. Rizolex®
	Heteroaromatics	1,2,4-thiadiazole	etridiazole	Terrazole®
17	Hydroxyanilide	Hydroxyanilide	fenhexamid	Teldor®
		Amino-pyrazolinone	fenpyrazamine	Prolectus®
20	Phenylureas	Phenylureas	pencycuron	Monceren®
21	Qil	Cyano-imidazole	cyazofamid	RanMan®
		Sulfamoyl-triazole	amisulbrom	Lotus®
28	Carbamate	Carbamate	iodocarb	various
			propamocarb	Previcur®
29	Unspecified	2,6-dinitro-anilines	fluazinam	various e.g. Shirlan®
33	Phosphonates	Ethyl phosphonate	fosetyl-aluminium	Aliette®
			phosphorous acid	various e.g. Foli-R-Fos®
40	Carboxylic acid amides	Cinnamic acid derivative	dimethomorph	Acrobat®
		Malic acid	mandipropamid	Revus®
45	QxI	Triazolo-pyrimidylamine	ametoctradin	Zampro®

This strategy is a guide only and does not endorse particular products, groups of products or cultural methods in terms of their performance. Always follow the product label for specific use instructions. While all effort has been taken with the information supplied in this document no responsibility, actual or implied, is taken for the day to day accuracy of product or active constituent specific information. Readers should check with the Australian regulator's (APVMA) product database for contemporary information on products and actives. The database can be sourced through www.apvma.gov.au. The information given in this strategy is provided in good faith and without any liability for loss or damage suffered as a result of its application and use.

Advice given in this strategy is valid as at 25 June 2015. All previous versions of this strategy are now invalid.

Phone: 02 6230 6399 Email: info@cropLife.org.au Fax: 02 6230 6355 Website: www.croplife.org.au

CropLife Australia Fungicide Resistance Management Review Group
Activity Group Table

FRAC Code	Fungicide Mode of Action Group	Chemical Family	Active Constituent	Trade Name (Product name)
M	<i>Multi-site activity</i>	<i>Inorganic</i>	chlorine dioxide	Vibrex®
			hydrogen peroxide + peroxyacetic acid	Peratec®
			iodine	various
			mercury	Shirtan®
			sodium metabisulphite	Osku-vid®
		<i>Hydroxyquinoline</i>	8-hydroxyquinoline	Staehler Grafting Wax
M1	<i>Multi-site activity</i>	<i>Inorganic</i>	copper cuprous oxide	various
			copper hydroxide	various e.g. Kocide®
			copper oxychloride	various e.g. Oxydul®
			copper ammonium acetate	Liquicop®
			tribasic copper sulphate	Tri-base Blue®
			copper octanoate	Tricop®
M2	<i>Multi-site activity</i>	<i>Inorganic</i>	sulphur	various e.g. Thiovit®, Kumulus®
			potassium bicarbonate	Ecocarb®
			calcium polysulfide	Miller Lime Sulfur Solution Fungicide Insecticide®
M3	<i>Multi-site activity</i>	<i>Dithiocarbamate</i>	mancozeb	various e.g. Dithane®
			metiram	Polyram®
			thiram	various e.g. Thiram
			propineb	various e.g. Antracol®
			zineb	Zineb
			ziram	various e.g. Ziram
M4	<i>Multi-site activity</i>	<i>Phthalimide</i>	captan	various e.g. Captan
M5	<i>Multi-site activity</i>	<i>Chloronitriles</i>	chlorothalonil	various e.g. Bravo®
M6	<i>Multi-site activity</i>	<i>Sulfamide</i>	tolylfluanid	Euparen Multi®
M7	<i>Multi-site activity</i>	<i>Guanidine</i>	guazatine	various e.g. Panocrine®
M9	<i>Multi-site activity</i>	<i>Quinone (anthraquinone)</i>	dithianon	various e.g. Delan®
U1	<i>Unknown</i>	<i>Potassium salts of fatty acids</i>	potassium salts of fatty acids	EcoProtector®
U6	<i>Unknown</i>	<i>Phenyl-acetamide</i>	cyflufenamid	Flute®
U8	<i>Actin disruption</i>	<i>Benzophenone</i>	metrafenone	Vivando®
U12	<i>Cell Membrane Disruption (proposed)</i>	<i>Guanidine</i>	dodine	Syllit®

Notes:

- The table does not include active constituents that have not yet been assigned an activity group by CropLife Australia.
- Some products are mixtures of fungicides from different activity groups. These appear only once in the table.
- If multiple trade names exist, the trade name entry is listed as various and the first registered trade name included.

® Registered trademark

This strategy is a guide only and does not endorse particular products, groups of products or cultural methods in terms of their performance. Always follow the product label for specific use instructions. While all effort has been taken with the information supplied in this document no responsibility, actual or implied, is taken for the day to day accuracy of product or active constituent specific information. Readers should check with the Australian regulator's (APVMA) product database for contemporary information on products and actives. The database can be sourced through www.apvma.gov.au. The information given in this strategy is provided in good faith and without any liability for loss or damage suffered as a result of its application and use.

Advice given in this strategy is valid as at 25 June 2015. All previous versions of this strategy are now invalid.

Phone: 02 6230 6399 Email: info@cropLife.org.au Fax: 02 6230 6355 Website: www.croplife.org.au