



# Fungicide Resistance Management Strategies

*Developed by the CropLife Australia Fungicide Resistance Management Review Group  
and industry researchers*

**Crop(s):** Turf

**Pest(s):** Various Diseases

Resistance Management Strategy for:

All fungicides

1. **DO NOT** apply more than two consecutive sprays of fungicides from the same activity group (other than **Group 14, 28, M2, M3, M4 or M5**), unless mixed with a protectant fungicide from **Group 14, 28, M2, M3, M4 or M5**.

This strategy is a guide only and does not endorse particular products, groups of products or cultural methods in terms of their performance. Always follow the product label for specific use instructions. While all effort has been taken with the information supplied in this document no responsibility, actual or implied, is taken for the day to day accuracy of product or active constituent specific information. Readers should check with the Australian regulator's (APVMA) product database for contemporary information on products and actives. The database can be sourced through [www.apvma.gov.au](http://www.apvma.gov.au). The information given in this strategy is provided in good faith and without any liability for loss or damage suffered as a result of its application and use. Advice given in this strategy is **valid as at 7 June 2017**.

All previous versions of this strategy are now invalid. Phone: 02 62732733 Email: [info@croplife.org.au](mailto:info@croplife.org.au) Website: [www.croplife.org.au](http://www.croplife.org.au)