

**Crops(s)**                **Broccoli and Cauliflower**

**Disease(s)**           **White Blister**

Resistance management strategy for:

<b>Group 4</b>	Phenylamide;
<b>Group 11</b>	Quinone outside Inhibitor (QoI);
<b>Group 21</b>	Quinone inside Inhibitor; and
<b>Group 28+43</b>	Carbamate + Benzamide

**Guidelines:**

1. Apply fungicides from **Group 4, 11, 21** or **28+43** in a preventative strategy when conditions favour disease development. Applications made within the nursery count towards the total number of applications allowed per crop.
2. Always apply **Group 4** in mixtures for foliar applications. Apply no more than two consecutive sprays of products containing **Group 4** actives.
3. Apply no more than two consecutive sprays of fungicides containing **Group 11** or **21**. Consecutive sprays should only be adopted if these groups are applied in mixture with an alternative mode of action fungicide. **Group 11** or **21** fungicides should be applied in strict alternation with other fungicide groups if being applied without mix partners.
4. **Do not** apply more than two applications of **Group 4** and **Group 11** fungicides per crop.
5. **Do not** apply more than three applications of a **Group 21** or **28+43** fungicide per crop.

**Please note:**

This strategy is a guide only and does not endorse particular products, groups of products or cultural methods in terms of their performance. Always follow the product label for specific use instructions. While all effort has been made with the information supplied in this document, no responsibility, actual or implied, is taken for the day to day accuracy of product or active constituent specific information. Readers should check with the Australian Pesticides and Veterinary Medicines Authority's product database for contemporary information on products and actives. The database can be sourced through [www.apvma.gov.au](http://www.apvma.gov.au). The information given in this strategy is provided in good faith and without any liability for loss or damage suffered as a result of its application and use. Advice given in this strategy is valid as at 30 June 2022. All previous versions of this strategy are now invalid.